	Application No.	Applicant(s)	
	10/054,260	TANJI ET AL.	(N)
Notice of Allowability	Examiner	Art Unit	
	Jeff H. Aftergut	1733	
The MAILING DATE of this communication All claims being allowable, PROSECUTION ON THE MERIT herewith (or previously mailed), a Notice of Allowance (PTOI NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATEN of the Office or upon petition by the applicant. See 37 CFR	S IS (OR REMAINS) CLOSED i 85) or other appropriate comm NT RIGHTS. This application is	n this application. If not incluunication will be mailed in du	uded ue course. THIS
1. This communication is responsive to application filed	<u>1-22-02</u> .		
2. ⊠ The allowed claim(s) is/are 6-11.			
3. 🛮 The drawings filed on 22 January 2002 are accepted	by the Examiner.		
4. Acknowledgment is made of a claim for foreign prior a) All b) Some* c) None of the: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DANOTHIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be substituted in Application (PTO-152) which 6. CORRECTED DRAWINGS (as "replacement sheets") (a) including changes required by the Notice of Drafts 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Exam Paper No./Mail Date Identifying indicia such as the application number (see 37 Ceach sheet. Replacement sheet(s) should be labeled as such DEPOSIT OF and/or INFORMATION about the description of the such as the supplication of the description of the such as the application of the description of	have been received. have been received in Application by documents have been received. ATE" of this communication to file ONMENT of this application. Submitted. Note the attached EXA gives reason(s) why the oath of must be submitted. Sperson's Patent Drawing Review. iner's Amendment / Comment of the inthe header according to 37 CF.	on No. 09/322,532. Indicate the complying with the research of the complying with the research of the drawings in the front (not to FR 1.121(d).	requirements NOTICE OF
attached Examiner's comment regarding REQUIREME			. Note the
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5 ☐ Notice of In	formal Patent Application (P	TO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-9	48) 6. ☐ Interview S	ummary (PTO-413), /Mail Date	- 3 · 0=/
 Information Disclosure Statements (PTO-1449 or PTO/Paper No./Mail Date <u>1/22/02</u> Examiner's Comment Regarding Requirement for Deports 	SB/08), 7. Examiner's	Amendment/Comment Statement of Reasons for A	llowance
of Biological Material	9. Other		
		Jeff 1. Aftergui Permary Examine Art Unit: 1733	Teignot

Application/Control Number: 10/054,260

Art Unit: 1733

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: None of the prior art 1. of record taught or suggested that one skilled in the art of manufacturing a body waste disposal article would have formed the same by: (1) folding a laminate of a topsheet, a backsheet and an absorbent core with elastic tensioned members disposed along transversely opposite edges of the topsheet or backsheet extending parallel to each other with the core lying there between onto itself with the topsheet lying inside so that the elastic members on the side edges were placed upon each other; (2) bonded respective halves of the laminate which have been folded upon itself to each other along a pair of imaginary lines intersecting the side edges and extending parallel to each other with the core lying there between, and; (3) releasing the elastic members to contract after the bonding step, see claim 6. Note regarding claim 9 that the bonding of the facing halves of the first web (which is the topsheet material) together between each pair of adjacent cores would have resulted in the joining of the ends of the topsheet material between the cores which was opposite the edges which carried the elastics thereon (as in claim 6) and thus the process claim of claim 9 recites the same processing as defined in claim 6 but additionally recites the processing upon a continuous web laminate of material (and is likewise not found in the prior art of record). The closest prior art found related to the formation of male incontinent bags such as that of Wada et al and Ishikawa. However neither of these references taught or suggested the specified processing for making the body waste disposal article. Additionally, the prior art is replete with topsheet arrangements which included elastics disposed about an opening, however none of the references to Tanji et al '459, Tanji et al '632, or Kitaoka suggested the specific manner for forming the same in the manner claimed by applicant.

Application/Control Number: 10/054,260

Art Unit: 1733

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeff H. Aftergut whose telephone number is 571-272-1212. The examiner can normally be reached on Monday-Friday 7:15-345 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Crispino can be reached on 571-272-1226. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Primary Examiner Art Unit 1733

JHA February 19, 2004